



Extruded Products

Tube stocks are primarily for insulation and protective packing/cushioning.

Standards: Density:

- 1.8 ft/lb
- Length: 72"
- Carton Size: 13"x13"x74"
- UPS: Oversize
- Truckload: 475 cartons on 53 foot trailer
- Actual inner diameter will be 2% larger than nominal inner diameter

Factors to consider when choosing tubing:

- Wall thickness desired
- Diameter of inner hole

Merryweather Foam can offer a substantial discount off the mill price standard.

The following prices are for informational purposes only. Please contact us for a quote depending on the volume needed.

**NOMAPAK TUBING - NPAK 65-0****Nomaco****NOMINAL WALL 3/8"**

Nominal Inner Diameter	Pcs/Ctn	Lft/Ctn	Lbs/Ctn
3/8"	90	540	7
1/2"	76	456	6
5/8"	66	396	6
3/4"	50	300	5
7/8"	46	276	5
1"	41	246	5
1 - 1/8"	37	222	5
1 - 1/4"	31	186	5
1 - 3/8"	30	180	5
1 - 5/8"	23	138	4
2"	21	126	4
2 - 1/8"	17	102	4
2 - 3/8"	14	84	4
2 - 5/8"	12	72	3
2 - 7/8"	10	60	3
3 - 1/8"	9	54	3
3 - 1/2"	8	48	3
3 - 5/8"	8	48	3
4 - 1/8"	7	42	3
4 - 1/2"	6	36	3

**NOMINAL WALL 1/2"**

Nominal Inner Diameter	Pcs/Ctn	Lft/Ctn	Lbs/Ctn
3/8"	69	414	8
1/2"	56	336	7
5/8"	50	300	7
3/4"	44	264	7
7/8"	40	240	7
1"	35	210	6
1 - 1/8"	31	186	6
1 - 1/4"	28	168	6
1 - 3/8"	25	150	6
1 - 5/8"	20	120	5
2"	17	102	5
2 - 1/8"	14	84	4
2 - 3/8"	12	72	4
2 - 5/8"	11	66	4
2 - 7/8"	9	54	4
3 - 1/8"	8	48	3
3 - 1/2"	8	48	4
3 - 5/8"	6	36	4
4 - 1/8"	5	30	3
4 - 1/2"	5	30	3

**NOMINAL WALL 3/4"**

Nominal Inner Diameter	Pcs/Ctn	Lft/Ctn	Lbs/Ctn
3/8"	38	228	8
1/2"	35	210	8
5/8"	30	180	8
3/4"	25	150	7
7/8"	25	150	7
1"	22	132	7
1 - 1/8"	21	126	7
1 - 1/4"	19	114	7
1 - 3/8"	17	102	6
1 - 5/8"	15	90	6
2"	11	66	5
2 - 1/8"	9	54	5
2 - 3/8"	9	54	5
2 - 5/8"	8	48	5
2 - 7/8"	7	42	5
3 - 1/8"	6	36	4
3 - 1/2"	5	30	4
3 - 5/8"	5	30	4
4 - 1/8"	4	24	3
4 - 1/2"	4	24	4

**NOMINAL WALL 1"**

Nominal Inner Diameter	Pcs/Ctn	Lft/Ctn	Lbs/Ctn
3/8"	25	150	8
1/2"	21	126	8
5/8"	21	126	8
3/4"	20	120	8
7/8"	18	108	8
1"	16	96	8
1 - 1/8"	14	84	7
1 - 1/4"	12	72	7
1 - 3/8"	12	72	7
1 - 5/8"	11	66	7
2"	9	54	7
2 - 1/8"	9	54	7
2 - 3/8"	8	48	6
2 - 5/8"	6	36	5
2 - 7/8"	6	36	6
3 - 1/8"	4	24	4
3 - 1/2"	4	24	4
3 - 5/8"	4	24	3
4 - 1/8"	3	18	3
4 - 1/2"	3	18	3